

Safety data sheet
complying with Regulation 1907/2006/EC (REACH
Regulation), EU 2015/830 and Regulation No 1272/2008/EC
(CLP)

Printing date 13.12.2019

Version number 2

Revision: 13.12.2019

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1 Product identifier

Trade name: **NEUTRALKAN**

1.2 Relevant identified uses of the substance or mixture and uses advised against

No further relevant information available.

Application of the substance / the mixture:

Acidic neutralizer for the automated reprocessing of surgical instruments and equipment.

1.3 Details of the supplier of the safety data sheet

Manufacturer/Supplier:

MEDALKAN

Michalakopoulou 102, P.C. 11528, Athens, Greece

Tel.. 2107484847, Fax. 210 7772009

e-mail: contact@medalkan.gr

website: www.medalkan.com

1.4 Emergency telephone number:



European Emergency Tel.: 112

SECTION 2: Hazards identification

2.1 Classification of the substance or mixture

Classification according to Regulation EC No 1272/2008 CLP:



GHS05 corrosion

Skin Corr. 1B H314 Causes severe skin burns and eye damage.

Eye Dam. 1 H318 Causes serious eye damage.



GHS07

Acute Tox. 4 H302 Harmful if swallowed.

2.2 Label elements

Labelling according to Regulation EC No 1272/2008 CLP:

The product is classified and labelled according to the CLP regulation.

Hazard pictograms:



GHS05 GHS07

Safety data sheet
complying with Regulation 1907/2006/EC (REACH
Regulation), EU 2015/830 and Regulation No 1272/2008/EC
(CLP)

Printing date 13.12.2019

Version number 2

Revision: 13.12.2019

Trade name: NEUTRALKAN

(Contd. of page 1)

Signal word: Danger

Hazard-determining components of labelling:
orthophosphoric acid.

Hazard statements:
H302 Harmful if swallowed.
H314 Causes severe skin burns and eye damage.

Precautionary statements

P102 Keep out of reach of children.
P264 Wash hands thoroughly after handling.
P280 Wear protective gloves/protective clothing/eye protection/face protection.
P301+P312 IF SWALLOWED: Call a POISON CENTER/doctor if you feel unwell.
P303+P361+P353 IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water [or shower].
P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
P405 Store locked up.
P501 Dispose of contents/container in accordance with local/regional/national/international regulations.

Regulation (EC) No 648/2004 on detergents / Labelling for contents

phosphates	≥30%
------------	------

2.3 Other hazards

Results of PBT and vPvB assessment

PBT: Not applicable.
vPvB: Not applicable.

SECTION 3: Composition/information on ingredients

3.2 Chemical characterisation: Mixtures

Description: Mixture: consisting of the following components.

Ingredients according Regulation (EU) 830/2015:

CAS: 7664-38-2 EINECS: 231-633-2 Index number: 015-011-00-6	orthophosphoric acid. ⚠ Met. Corr. 1, H290; Skin Corr. 1B, H314; ⚠ Acute Tox. 4, H302	30-<60%
CAS: 5949-29-1 EINECS: 201-069-1	Citric Acid ⚠ Eye Irrit. 2, H319	≥2.5-<10%

SECTION 4: First aid measures

4.1 Description of first aid measures

General information:

Immediately remove any clothing soiled by the product.
Symptoms of poisoning may even occur after several hours; therefore medical observation for at least 48 hours after the accident.

(Contd. on page 3)

Safety data sheet
complying with Regulation 1907/2006/EC (REACH
Regulation), EU 2015/830 and Regulation No 1272/2008/EC
(CLP)

Printing date 13.12.2019

Version number 2

Revision: 13.12.2019

Trade name: NEUTRALKAN

(Contd. of page 2)

Take affected persons out into the fresh air.

After inhalation:

Supply fresh air and to be sure call for a doctor.

In case of unconsciousness place patient stably in side position for transportation.

Seek medical treatment in case of complaints.

After skin contact:

Immediately wash with water and soap and rinse thoroughly.

If the product causes burning or chilling, do not remove the clothing as this may aggravate the injury if the garment sticks to the skin. If blisters are formed on the skin, they should never drop because the risk of contamination will increase.

If skin irritation continues, consult a doctor.

After eye contact:

Immediately flush eyes with plenty of water, occasionally lifting the upper and lower eyelids.

Check for and remove any contact lenses.

Continue to rinse for at least 10 minutes.

Get medical attention if irritation occurs.

Avoid strong water jet-risk of cornea damage, consult a doctor.

After swallowing:

Drink plenty of water and provide fresh air. Call for a doctor immediately.

Seek immediate medical advice.

Never give anything by mouth to an unconscious person.

4.2 Most important symptoms and effects, both acute and delayed

No further relevant information available.

4.3 Indication of any immediate medical attention and special treatment needed

No further relevant information available.

SECTION 5: Firefighting measures

5.1 Extinguishing media

Suitable extinguishing agents:

CO₂, powder or water spray. Fight larger fires with water spray.

Use fire extinguishing methods suitable to surrounding conditions.

5.2 Special hazards arising from the substance or mixture

No further relevant information available.

5.3 Advice for firefighters

Protective equipment:

Self contained breathing apparatus and full protective clothing must be worn in case of fire.

Additional information

Collect contaminated fire fighting water separately. It must not enter the sewage system.

SECTION 6: Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures:

Wear protective equipment. Keep unprotected persons away.

Avoid contact with the skin, eyes and clothing.

Ensure adequate ventilation.

Wear protective clothing.

6.1.1 For non-emergency personnel Avoid contact with dripping or leaking material

(Contd. on page 4)

Safety data sheet
complying with Regulation 1907/2006/EC (REACH
Regulation), EU 2015/830 and Regulation No 1272/2008/EC
(CLP)

Printing date 13.12.2019

Version number 2

Revision: 13.12.2019

Trade name: NEUTALKAN

(Contd. of page 3)

6.1.2 For emergency responders

Wear protective equipment. Keep unprotected persons away.

First-aid responders must wear protective clothing, gloves, goggles and respiratory device with filter type A.

6.2 Environmental precautions: Do not allow to enter sewers/ surface or ground water.

6.3 Methods and material for containment and cleaning up:

Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust, silica gel).

Use neutralising agent.

Dispose contaminated material as waste according to item 13.

Ensure adequate ventilation.

Send for recovery or disposal in suitable receptacles.

6.4 Reference to other sections:

See Section 7 for information on safe handling.

See Section 8 for information on personal protection equipment.

See Section 13 for disposal information.

SECTION 7: Handling and storage

7.1 Precautions for safe handling

Open and handle receptacle with care.

Ensure good ventilation.

Do not eat, drink or smoke at the workplace.

Keep away from heat and direct sunlight.

Wash hands before each break and after finishing work.

Avoid contact with skin, eyes and clothing.

Information about fire - and explosion protection: No special measures required.

7.2 Conditions for safe storage, including any incompatibilities

Storage: Store in cool, dry conditions in well sealed receptacles.

Requirements to be met by storerooms and receptacles: Store in a cool location.

Information about storage in one common storage facility: Not required.

Further information about storage conditions:

Keep container tightly sealed.

Store under lock and key and with access restricted to technical experts or their assistants only.

Store under lock and key and out of the reach of children.

7.3 Specific end use(s) No further relevant information available.

SECTION 8: Exposure controls/personal protection

8.1 Control parameters

Ingredients with limit values that require monitoring at the workplace:

CAS: 7664-38-2 orthophosphoric acid.

WEL (Great Britain)	Short-term value: 2 mg/m ³ Long-term value: 1 mg/m ³
---------------------	---

(Contd. on page 5)

Safety data sheet
complying with Regulation 1907/2006/EC (REACH
Regulation), EU 2015/830 and Regulation No 1272/2008/EC
(CLP)

Printing date 13.12.2019

Version number 2

Revision: 13.12.2019

Trade name: NEUTRALKAN

(Contd. of page 4)

IOELV (EU)	Short-term value: 2 mg/m ³ Long-term value: 1 mg/m ³
------------	---

8.2 Exposure controls

8.2.1. Appropriate engineering controls

Take appropriate protective measures with regard to the handling of chemicals and mixtures.

Personal protective equipment

General protective and hygienic measures:

Keep away from foodstuffs, beverages and feed.

Immediately remove all soiled and contaminated clothing.

Wash hands before breaks and at the end of work.

Avoid contact with the eyes.

Contaminated clothing should be laundered before re-use

Ensure adequate ventilation during use.

Do not eat, drink or smoke while using the product.

Respiratory protection:



In case of brief exposure or low pollution use respiratory filter device. In case of intensive or longer exposure use self-contained respiratory protective device.

Protection of hands:



Protective gloves

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation.

Due to missing tests no recommendation to the glove material can be given for the product/ the preparation/ the chemical mixture.

Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation

Material of gloves

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a mixture of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.

Penetration time of glove material

The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.

The determined penetration times according to EN 16523-1:2015 are not performed under practical conditions. Therefore a maximum wearing time, which corresponds to 50% of the penetration time, is recommended.

(Contd. on page 6)

GB

Safety data sheet
complying with Regulation 1907/2006/EC (REACH
Regulation), EU 2015/830 and Regulation No 1272/2008/EC
(CLP)

Printing date 13.12.2019

Version number 2

Revision: 13.12.2019

Trade name: NEUTRALKAN

(Contd. of page 5)

Eye protection:



Tightly sealed goggles (EN 166).

Body protection:



Protective work clothing

SECTION 9: Physical and chemical properties

9.1 Information on basic physical and chemical properties

General Information

Appearance:

Form:	Liquid
Colour:	Not determined
Odour:	Characteristic
Odour threshold:	Not determined

pH value at 20 °C: <2

Flash point: Not Flammable

Flammability (solid, gas): Not applicable

Auto-ignition temperature: Not determined

Decomposition temperature: Not determined

Auto-ignition temperature: Product is not selfigniting.

Explosive properties: Product does not present an explosion hazard.

Explosion limits:

Lower:	Not determined
Upper:	Not determined

Oxidising properties: Not oxidising

Vapour pressure: Not determined

Density at 20 °C: 1.45 g/cm³

Relative density: Not determined

Vapour density: Not determined

Evaporation rate: Not determined

(Contd. on page 7)

Safety data sheet
complying with Regulation 1907/2006/EC (REACH
Regulation), EU 2015/830 and Regulation No 1272/2008/EC
(CLP)

Printing date 13.12.2019

Version number 2

Revision: 13.12.2019

Trade name: NEUTRALKAN

(Contd. of page 6)

Solubility in / Miscibility with water:

Fully miscible

Partition coefficient: n-octanol/water: Not determined

Viscosity:

Dynamic at 20 °C:

<50 mPas

Kinematic:

Not determined

Solvent content:

VOC (EC)

0.00 %

9.2 Other information

No further relevant information available.

SECTION 10: Stability and reactivity

10.1 Reactivity Stable under normal conditions

10.2 Chemical stability Material is stable under normal conditions.

Thermal decomposition / conditions to be avoided Stable at environment temperature.

10.3 Possibility of hazardous reactions No dangerous reactions known.

10.4 Conditions to avoid No further relevant information available.

10.5 Incompatible materials No further relevant information available.

10.6 Hazardous decomposition products No dangerous decomposition products known.

SECTION 11: Toxicological information

11.1 Information on toxicological effects

Acute toxicity

Harmful if swallowed.

LD/LC50 values relevant for classification:

ATE (Acute Toxicity Estimates)

Oral	LD50	840 mg/kg
------	------	-----------

CAS: 5949-29-1 Citric Acid

Oral	LD50	11,700 mg/kg (gnp)
Dermal	LD50	>2,000 mg/kg (rabbit)
Inhalative	LC50/4 h (vapour)	5,800 mg/l

Skin corrosion/irritation

Causes severe skin burns and eye damage.

Serious eye damage/irritation

Causes serious eye damage.

Respiratory or skin sensitisation Based on available data, the classification criteria are not met.

Repeated dose toxicity Based on available data, the classification criteria are not met.

CMR effects (carcinogenicity, mutagenicity and toxicity for reproduction)

Germ cell mutagenicity Based on available data, the classification criteria are not met.

Carcinogenicity Based on available data, the classification criteria are not met.

(Contd. on page 8)

Safety data sheet
complying with Regulation 1907/2006/EC (REACH
Regulation), EU 2015/830 and Regulation No 1272/2008/EC
(CLP)

Printing date 13.12.2019

Version number 2

Revision: 13.12.2019

Trade name: NEUTRALKAN

(Contd. of page 7)

Reproductive toxicity Based on available data, the classification criteria are not met.
STOT-single exposure Based on available data, the classification criteria are not met.
STOT-repeated exposure Based on available data, the classification criteria are not met.
Aspiration hazard Based on available data, the classification criteria are not met.

SECTION 12: Ecological information

12.1 Toxicity

Aquatic toxicity:

CAS: 5949-29-1 Citric Acid

EC50 (72h) 425 mg/l (algae)

EC50 (48h) 440 mg/l (fis)

12.2 Persistence and degradability

The surfactant(s) contained in this preparation complies(comply) with the biodegradability criteria as laid down in Regulation (EC) No.648/2004 on detergents. Data to support this assertion are held at the disposal of the competent authorities of the Member States and will be made available to them, at their direct request or at the request of a detergent manufacturer.

12.3 Bioaccumulative potential No further relevant information available.

12.4 Mobility in soil No further relevant information available.

Additional ecological information:

General notes:

Must not reach sewage water or drainage ditch undiluted or unneutralised.

Rinse off of bigger amounts into drains or the aquatic environment may lead to decreased pH-values. A low pH-value harms aquatic organisms. In the dilution of the use-level the pH-value is considerably increased, so that after the use of the product the aqueous waste, emptied into drains, is only low water-dangerous.

12.5 Results of PBT and vPvB assessment

PBT: Not applicable.

vPvB: Not applicable.

12.6 Other adverse effects No further relevant information available.


SECTION 13: Disposal considerations

13.1 Waste treatment methods

Recommendation



Dispose according to National Regulations.



Must not be disposed together with household garbage. Do not allow product to reach sewage system.

Contact manufacturer for recycling information.

(Contd. on page 9)

Safety data sheet
complying with Regulation 1907/2006/EC (REACH
Regulation), EU 2015/830 and Regulation No 1272/2008/EC
(CLP)

Printing date 13.12.2019

Version number 2

Revision: 13.12.2019

Trade name: NEUTRALKAN

(Contd. of page 8)

Uncleaned packaging:

Recommendation:

Disposal must be made according to official regulations.
Packaging may be reused or recycled after cleaning.

SECTION 14: Transport information

14.1 UN-Number

ADR, IMDG, IATA

UN1760

14.2 UN proper shipping name

ADR

1760 CORROSIVE LIQUID, N.O.S.

IMDG, IATA

CORROSIVE LIQUID, N.O.S.

14.3 Transport hazard class(es)

ADR, IMDG, IATA



Class

8 Corrosive substances.

Label

8

14.4 Packing group

ADR, IMDG, IATA

II

14.5 Environmental hazards:

Not applicable.

14.6 Special precautions for user

Warning: Corrosive substances.

Danger code (Kemler):

80

EMS Number:

F-A,S-B

Stowage Category

B

Stowage Code

SW2 Clear of living quarters.

14.7 Transport in bulk according to Annex II of Marpol and the IBC Code

Not applicable.

Transport/Additional information:

ADR

Limited quantities (LQ)

1L

Excepted quantities (EQ)

Code: E2

Maximum net quantity per inner packaging: 30 ml

Maximum net quantity per outer packaging: 500 ml

Transport category

2

Tunnel restriction code

E

IMDG

Limited quantities (LQ)

1L

Excepted quantities (EQ)

Code: E2

Maximum net quantity per inner packaging: 30 ml

Maximum net quantity per outer packaging: 500 ml

(Contd. on page 10)

Safety data sheet
complying with Regulation 1907/2006/EC (REACH
Regulation), EU 2015/830 and Regulation No 1272/2008/EC
(CLP)

Printing date 13.12.2019

Version number 2

Revision: 13.12.2019

Trade name: NEUTRALKAN

UN "Model Regulation":

UN 1760 CORROSIVE LIQUID, N.O.S., 8, II

(Contd. of page 9)

SECTION 15: Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

REACH Regulation 1907/2006/EC

Regulation (EU) 2015/830

CLP Regulation 1272/2008/EC

Directive 98/24/EC on the protection of health and safety of workers from the risks related to chemicals agents at work.

Council Directive 94/33/EC on the protection of young people at work, as ammended.

Directive 92/85/EEC on the introduction of measures to encourage improvements in the safety and health at work of pregnant workers and workers who have recently given birth or are breastfeeding, as ammended

Regulation (EC) No.648/2004 on detergents, as amended.

Directive 2012/18/EU

Named dangerous substances - ANNEX I Substance is not listed.

REGULATION (EC) No 1907/2006 ANNEX XVII Conditions of restriction: 3

National regulations:

Other regulations, limitations and prohibitive regulations

Substances of very high concern (SVHC) according to REACH, Article 57

It doesn't contain substances of very high concern (SVHC).

15.2 Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

SECTION 16: Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

Relevant phrases

H290 May be corrosive to metals.

H302 Harmful if swallowed.

H314 Causes severe skin burns and eye damage.

H319 Causes serious eye irritation.

Training hints

Suitable training on safety in handling, storing and converting the product should be given to the employees based on all the existing information.

Department issuing SDS:



SUSTCHEM S.A.

REACH & Chemical Services Department

A: 144, 3rd Septemvriou, GR 112 51 | Athens, Greece

T: +30 210 8252510 | F: +30 210 8252575

W: www.sustchem.gr | E: info@suschem.gr

(Contd. on page 11)

GB

Safety data sheet
complying with Regulation 1907/2006/EC (REACH
Regulation), EU 2015/830 and Regulation No 1272/2008/EC
(CLP)

Printing date 13.12.2019

Version number 2

Revision: 13.12.2019

Trade name: NEUTRALKAN

(Contd. of page 10)

Abbreviations and acronyms:

ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International Carriage of Dangerous Goods by Road)

IMDG: International Maritime Code for Dangerous Goods

IATA: International Air Transport Association

GHS: Globally Harmonised System of Classification and Labelling of Chemicals

EINECS: European Inventory of Existing Commercial Chemical Substances

ELINCS: European List of Notified Chemical Substances

CAS: Chemical Abstracts Service (division of the American Chemical Society)

VOC: Volatile Organic Compounds (USA, EU)

LC50: Lethal concentration, 50 percent

LD50: Lethal dose, 50 percent

PBT: Persistent, Bioaccumulative and Toxic

SVHC: Substances of Very High Concern

vPvB: very Persistent and very Bioaccumulative

Met. Corr. 1: Corrosive to metals – Category 1

Acute Tox. 4: Acute toxicity - oral – Category 4

Skin Corr. 1B: Skin corrosion/irritation – Category 1B

Eye Dam. 1: Serious eye damage/eye irritation – Category 1

Eye Irrit. 2: Serious eye damage/eye irritation – Category 2

*** Data compared to the previous version altered.**