

Safety data sheet
complying with Regulation 1907/2006/EC (REACH
Regulation), EU 2020/878 and Regulation No 1272/2008/EC
(CLP)

Printing date 21.01.2021

Version number 1

Revision: 21.01.2021

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1 Product identifier

Trade name: NOSOCID PAA - Mixed use solution

1.2 Relevant identified uses of the substance or mixture and uses advised against

No further relevant information available.

Application of the substance / the mixture:

High level instrument disinfectant Product Ready to use for medical devices.

1.3 Details of the supplier of the safety data sheet

Manufacturer/Supplier:

MEDALKAN

Michalakopoulou 102, P.C. 11528, Athens, Greece

Tel.. 2107484847, Fax. 210 7772009

e-mail: contact@medalkan.gr

website: www.medalkan.com

1.4 Emergency telephone number:



European Emergency Tel.: 112

SECTION 2: Hazards identification

2.1 Classification of the substance or mixture

Classification according to Regulation EC No 1272/2008 CLP:



GHS07

Eye Irrit. 2 H319 Causes serious eye irritation.

2.2 Label elements

Labelling according to Regulation EC No 1272/2008 CLP:

The product is classified and labelled according to the CLP regulation.

Hazard pictograms:



GHS07

Signal word: Warning

Hazard statements:

H319 Causes serious eye irritation.

Precautionary statements

P101 If medical advice is needed, have product container or label at hand.

(Contd. on page 2)

GB

Safety data sheet
complying with Regulation 1907/2006/EC (REACH
Regulation), EU 2020/878 and Regulation No 1272/2008/EC
(CLP)

Printing date 21.01.2021

Version number 1

Revision: 21.01.2021

Trade name: NOSOCID PAA - Mixed use solution

(Contd. of page 1)

P102 Keep out of reach of children.
 P264 Wash thoroughly after handling.
 P280 Wear eye protection / face protection
 P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
 P337+P313 If eye irritation persists: Get medical advice/attention.

Regulation (EC) No 648/2004 on detergents / Labelling for contents

oxygen-based bleaching agents <5%

2.3 Other hazards**Results of PBT and vPvB assessment****PBT:** Not applicable.**vPvB:** Not applicable.**SECTION 3: Composition/information on ingredients****3.2 Mixtures****Description:** Mixture: consisting of the following components.**Ingredients according Regulation (EU) 2020/878:**

CAS: 7722-84-1 EINECS: 231-765-0 Index number: 008-003-00-9 Reg.nr.: 01-2119485845-22-XX XX	hydrogen peroxide solution ⚠ Ox. Liq. 1, H271; ⚠ Skin Corr. 1A, H314; ⚠ Acute Tox. 4, H302; ⚠ Acute Tox. 4, H332; STOT SE 3, H335; Aquatic Chronic 3, H412 Specific concentration limits: Ox. Liq. 1; H271: C ≥ 70 % Ox. Liq. 2; H272: 50 % ≤ C < 70 % Skin Corr. 1A; H314: C ≥ 70 % Skin Corr. 1B; H314: 50 % ≤ C < 70 % Skin Irrit. 2; H315: 35 % ≤ C < 50 % Eye Dam. 1; H318: C ≥ 8 % Eye Irrit. 2; H319: 5 % ≤ C < 8 % STOT SE 3; C ≥ 35 %	≥2.5-<5%
CAS: 67-63-0 EINECS: 200-661-7 Index number: 603-117-00-0 Reg.nr.: 01-2119457558-25- XXXX	propan-2-ol ⚠ Flam. Liq. 2, H225; ⚠ Eye Irrit. 2, H319; STOT SE 3, H336	≥2.5-5%
CAS: 79-21-0 EINECS: 201-186-8 Index number: 607-094-00-8 Reg.nr.: 01-2119531330-56- XXXX	peracetic acid ⚠ Flam. Liq. 3, H226; Org. Perox. D, H242; ⚠ Skin Corr. 1A, H314; ⚠ Aquatic Acute 1, H400; Aquatic Chronic 1, H410; ⚠ Acute Tox. 4, H302; Acute Tox. 4, H312; Acute Tox. 4, H332; STOT SE 3, H335 Specific concentration limit: STOT SE 3; H335: C ≥ 1 %	≥0.025-<0.25%

GB

(Contd. on page 3)

Safety data sheet
complying with Regulation 1907/2006/EC (REACH
Regulation), EU 2020/878 and Regulation No 1272/2008/EC
(CLP)

Printing date 21.01.2021

Version number 1

Revision: 21.01.2021

Trade name: NOSOCID PAA - Mixed use solution

(Contd. of page 2)

SECTION 4: First aid measures

4.1 Description of first aid measures

General information:

Immediately remove any clothing soiled by the product.

Take affected persons out into the fresh air.

Involve doctor immediately.

After inhalation:

Supply fresh air and to be sure call for a doctor.

In case of unconsciousness place patient stably in side position for transportation.

Seek medical treatment in case of complaints.

After skin contact:

Immediately wash with water and soap and rinse thoroughly.

If skin irritation continues, consult a doctor.

Remove contaminated clothing.

Wash contaminated clothing before use.

After eye contact:

Immediately flush eyes with plenty of water, occasionally lifting the upper and lower eyelids.

Check for and remove any contact lenses.

Continue to rinse for at least 10 minutes.

Get medical attention if irritation occurs.

After swallowing:

Drink plenty of water and provide fresh air. Call for a doctor immediately.

Seek immediate medical advice.

4.2 Most important symptoms and effects, both acute and delayed

No further relevant information available.

4.3 Indication of any immediate medical attention and special treatment needed

No further relevant information available.

SECTION 5: Firefighting measures

5.1 Extinguishing media

Suitable extinguishing agents: CO₂, powder or water spray. Fight larger fires with water spray.

For safety reasons unsuitable extinguishing agents: Water with full jet

5.2 Special hazards arising from the substance or mixture

No further relevant information available.

5.3 Advice for firefighters

Protective equipment:

Self contained breathing apparatus and full protective clothing must be worn in case of fire.

Additional information

Collect contaminated fire fighting water separately. It must not enter the sewage system.

SECTION 6: Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures:

Wear protective equipment. Keep unprotected persons away.

Keep away from ignition sources.

(Contd. on page 4)

GB

Safety data sheet
complying with Regulation 1907/2006/EC (REACH
Regulation), EU 2020/878 and Regulation No 1272/2008/EC
(CLP)

Printing date 21.01.2021

Version number 1

Revision: 21.01.2021

Trade name: NOSOCID PAA - Mixed use solution

(Contd. of page 3)

Ensure adequate ventilation.

Avoid contact with spilled material.

Goggles and/ or face shield, if contact with eyes or splashes are anticipated.

Avoid contact with skin and eyes.

6.1.1 For non-emergency personnel

Ensure sufficient ventilation.

Use personal protective equipment.

Avoid contact with skin and eyes.

6.1.2 For emergency responders

Ventilate area of leak or spill.

Use safety goggles, in case of contact with the eyes.

Use chemicals resistant gloves.

6.2 Environmental precautions: Do not allow to enter sewers/ surface or ground water.

6.3 Methods and material for containment and cleaning up:

Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust, silica gel).

Use neutralising agent.

Dispose contaminated material as waste according to item 13.

Ensure adequate ventilation.

Do not flush with water or aqueous cleansing agents

Send for recovery or disposal in suitable receptacles.

6.4 Reference to other sections:

See Section 7 for information on safe handling.

See Section 8 for information on personal protection equipment.

See Section 13 for disposal information.

SECTION 7: Handling and storage

7.1 Precautions for safe handling

Open and handle receptacle with care.

Keep receptacles tightly sealed.

Prevent formation of aerosols.

Avoid contact with skin, eyes and clothing.

Do not breathe dust. Do not ingest.

Information about fire - and explosion protection:

Protect against electrostatic charges.

Keep it in a dry, cool, well ventilated, fixed in advance place, away from sources of heat, flames, ignition and direct sunlight.

7.2 Conditions for safe storage, including any incompatibilities

Storage:

Requirements to be met by storerooms and receptacles:

Keep in the original container. Store in a cool, dry and well-ventilated place.

Provide ventilation for receptacles.

Information about storage in one common storage facility: Store away from oxidising materials.

Further information about storage conditions:

Keep container tightly sealed.

Keep containers to upright position to prevent leakage.

Protect from direct sunlight.

(Contd. on page 5)

Safety data sheet
complying with Regulation 1907/2006/EC (REACH
Regulation), EU 2020/878 and Regulation No 1272/2008/EC
(CLP)

Printing date 21.01.2021

Version number 1

Revision: 21.01.2021

Trade name: NOSOCID PAA - Mixed use solution

(Contd. of page 4)

Keep away from children

7.3 Specific end use(s) No further relevant information available.

SECTION 8: Exposure controls/personal protection

8.1 Control parameters

Ingredients with limit values that require monitoring at the workplace:

CAS: 7722-84-1 hydrogen peroxide solution

WEL (Great Britain)	Short-term value: 2.8 mg/m ³ , 2 ppm
	Long-term value: 1.4 mg/m ³ , 1 ppm

CAS: 67-63-0 propan-2-ol

WEL (Great Britain)	Short-term value: 1250 mg/m ³ , 500 ppm
	Long-term value: 999 mg/m ³ , 400 ppm

DNELs

(CAS: 7722-84-1) hydrogen peroxide solution

Workers, Inhalation, Acute-local effects, 3 mg/m³

Workers, Inhalation, Long-term local effects, 1.4 mg/m³

Consumers, Inhalation, Acute-local effects, 1.93 mg/m³

Consumers Inhalation, Long-term local effects 0.21 mg/m³

(CAS: 67-63-0) propan-2-ol

Workers

Route of exposure: Dermal

Long-term systemic effects

- DNEL: 888 mg/kg bw/day

Route of exposure: Inhalation

Long-term systemic effects

- DNEL: 500 mg substance/m³

Consumers

Route of exposure: Oral

Long-term systemic effects

- DNEL: 26 mg/kg bw/day

Route of exposure: Dermal

Long-term systemic effects

- DNEL: 319 mg/kg bw/day

Route of exposure: Inhalation

Long-term systemic effects

- DNEL: 89 mg substance/m³

(CAS: 79-21-0) Peracetic acid

Workers:

Inhalation - systemic & local chronic / acute effects: 0,6 mg/m³

Dermal - local acute effects: 0,12 %

Consumers:

(Contd. on page 6)

Safety data sheet
complying with Regulation 1907/2006/EC (REACH
Regulation), EU 2020/878 and Regulation No 1272/2008/EC
(CLP)

Printing date 21.01.2021

Version number 1

Revision: 21.01.2021

Trade name: NOSOCID PAA - Mixed use solution

(Contd. of page 5)

Inhalation - systemic & local chronic / acute effects: 0,6 mg/m³

Dermal - local acute effects: 0,12 %

PNECs

(CAS: 67-63-0) propan-2-ol

Freshwater: 140.9 mg/l

Marine water: 140.9 mg/l

Intermittent releases (water): 140.9 mg/l

Freshwater sediment: 552 mg/kg

Marine water sediment: 552 mg/kg

Soil: 28 mg/kg

Secondary poisoning: 160 mg/kg

STP: 2.251 mg/l

(CAS: 7722-84-1) hydrogen peroxide solution

Fresh water 0.0126 mg / l

Marine water 0.0126 mg / l

Intermittent use / release 0.0138 mg / l

Freshwater sediment 0.047 mg / kg

Marine sediment 0.047 mg / kg

Soil 0.0023 mg / kg

Sewage treatment plant 4.66 mg / l

(CAS: 79-21-0) Peracetic acid

Fresh water: 0.000224 mg/l

Sewage treatment plant: 0.051 mg/l

Freshwater sediment: 0.00018 mg/kg

Soil: 0.320 mg/kg

Additional information: The lists valid during the making were used as basis.

8.2 Exposure controls

Individual protection measures, such as personal protective equipment

General protective and hygienic measures:

Keep away from foodstuffs, beverages and feed.

Immediately remove all soiled and contaminated clothing.

Wash hands before breaks and at the end of work.

Do not eat, drink or smoke while using the product.

Avoid contact with the eyes and skin.

Respiratory protection:



Use suitable respiratory protective device in case of insufficient ventilation.

Hand protection



Protective gloves resistant to chemicals (standard EN 374-1)

(Contd. on page 7)

Safety data sheet
complying with Regulation 1907/2006/EC (REACH
Regulation), EU 2020/878 and Regulation No 1272/2008/EC
(CLP)

Printing date 21.01.2021

Version number 1

Revision: 21.01.2021

Trade name: NOSOCID PAA - Mixed use solution

(Contd. of page 6)

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation.

Due to missing tests no recommendation to the glove material can be given for the product/ the preparation/ the chemical mixture.

Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation

Material of gloves

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a mixture of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.

Penetration time of glove material

The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.

The determined penetration times according to EN 16523-1:2015 are not performed under practical conditions. Therefore a maximum wearing time, which corresponds to 50% of the penetration time, is recommended.

Eye/face protection



Tightly sealed goggles (EN 166).

Body protection:



Protective work clothing

SECTION 9: Physical and chemical properties

9.1 Information on basic physical and chemical properties

General Information

Physical state	Liquid
Colour:	Transparent
Odour:	Characteristic
Odour threshold:	Not determined
Melting point/freezing point:	Not determined
Boiling point or initial boiling point and boiling range	Not determined
Flammability	Not applicable
Lower and upper explosion limit	
Lower:	Not determined
Upper:	Not determined
Flash point:	Not Flammable
Auto-ignition temperature:	Product is not selfigniting.
Decomposition temperature:	Not determined
pH at 20 °C	5-7

(Contd. on page 8)

Safety data sheet
complying with Regulation 1907/2006/EC (REACH
Regulation), EU 2020/878 and Regulation No 1272/2008/EC
(CLP)

Printing date 21.01.2021

Version number 1

Revision: 21.01.2021

Trade name: NOSOCID PAA - Mixed use solution

(Contd. of page 7)

Viscosity:

Kinematic viscosity Not determined

Kinematic viscosity

Dynamic: Not determined

Solubility

water: Fully miscible

Partition coefficient n-octanol/water (log value) Not determined

Vapour pressure: Not determined

Density and/or relative density

Density: Not determined

Relative density Not determined

Vapour density Not determined

9.2 Other information

Appearance:

Form: Liquid

Important information on protection of health and environment, and on safety.

Auto-ignition temperature: Not determined

Explosive properties: Product does not present an explosion hazard.

Cloud point / clarification point:

Oxidising properties Not oxidising

Evaporation rate Not determined

Information with regard to physical hazard classes

Explosives Void

Flammable gases Void

Aerosols Void

Oxidising gases Void

Gases under pressure Void

Flammable liquids Void

Flammable solids Void

Self-reactive substances and mixtures Void

Pyrophoric liquids Void

Pyrophoric solids Void

Self-heating substances and mixtures Void

Substances and mixtures, which emit flammable gases in contact with water Void

Oxidising liquids Void

Oxidising solids Void

Organic peroxides Void

Corrosive to metals Void

Desensitised explosives Void

GB

(Contd. on page 9)

Safety data sheet
complying with Regulation 1907/2006/EC (REACH
Regulation), EU 2020/878 and Regulation No 1272/2008/EC
(CLP)

Printing date 21.01.2021

Version number 1

Revision: 21.01.2021

Trade name: NOSOCID PAA - Mixed use solution

(Contd. of page 8)

SECTION 10: Stability and reactivity

10.1 Reactivity No further relevant information available.

10.2 Chemical stability

Thermal decomposition / conditions to be avoided Stable at environment temperature.

10.3 Possibility of hazardous reactions No dangerous reactions known.

10.4 Conditions to avoid Avoid exposure to heat.

10.5 Incompatible materials Oxidizing agents

10.6 Hazardous decomposition products No dangerous decomposition products known.

SECTION 11: Toxicological information

11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008

Acute toxicity Based on available data, the classification criteria are not met.

LD/LC50 values relevant for classification:

ATE (Acute Toxicity Estimates)

Oral	LD50	13,426 mg/kg
Inhalative	LC50/4 h (vapour)	295 mg/l

CAS: 7722-84-1 hydrogen peroxide solution

Dermal	LD50	6,440 mg/kg (rabbit)
--------	------	----------------------

CAS: 67-63-0 propan-2-ol

Oral	LD50	5,045 mg/kg (rat)
Dermal	LD50	12,800 mg/kg (rabbit)
Inhalative	LC50/4 h (vapour)	30 mg/l (rat)

CAS: 79-21-0 peracetic acid

Dermal	LD50	1,410 mg/kg (rabbit)
--------	------	----------------------

Skin corrosion/irritation Based on available data, the classification criteria are not met.

Serious eye damage/irritation Causes serious eye irritation.

Respiratory or skin sensitisation Based on available data, the classification criteria are not met.

Germ cell mutagenicity Based on available data, the classification criteria are not met.

Carcinogenicity Based on available data, the classification criteria are not met.

Reproductive toxicity Based on available data, the classification criteria are not met.

STOT-single exposure Based on available data, the classification criteria are not met.

STOT-repeated exposure Based on available data, the classification criteria are not met.

Aspiration hazard Based on available data, the classification criteria are not met.

Additional toxicological information:

Repeated dose toxicity Based on available data, the classification criteria are not met.

11.2 Information on other hazards

Endocrine disrupting properties

None of the ingredients is listed.

GB

(Contd. on page 10)

Safety data sheet
complying with Regulation 1907/2006/EC (REACH
Regulation), EU 2020/878 and Regulation No 1272/2008/EC
(CLP)

Printing date 21.01.2021

Version number 1

Revision: 21.01.2021

Trade name: NOSOCID PAA - Mixed use solution

(Contd. of page 9)

SECTION 12: Ecological information

12.1 Toxicity

Aquatic toxicity:

CAS: 79-21-0 peracetic acid

EC50 (72h) 0.16 mg/l (Pseudokirchneriella subcapitata)

EC50 (48h) 0.73 mg/l (Daphnia magna)

LC50 (96h) 1.1 mg/l (Lepomis macrochirus (Bluegill))

12.2 Persistence and degradability Biodegradable.

12.3 Bioaccumulative potential

No bioaccumulation potential.

(CAS: 67-63-0) Isopropyl alcohol

Partition coefficient n-octanol/water: 0.05

12.4 Mobility in soil No further relevant information available.

12.5 Results of PBT and vPvB assessment

PBT: Not applicable.

vPvB: Not applicable.

12.6 Endocrine disrupting properties

The product does not contain substances with endocrine disrupting properties.

12.7 Other adverse effects No further relevant information available.


SECTION 13: Disposal considerations

13.1 Waste treatment methods

Recommendation



Dispose according to National Regulations.



Must not be disposed together with household garbage. Do not allow product to reach sewage system.

Contact manufacturer for recycling information.

Uncleaned packaging:

Recommendation:

Disposal must be made according to official regulations.

Packaging may be reused or recycled after cleaning.

SECTION 14: Transport information

14.1 UN number or ID number

ADR, IMDG, IATA

Void

14.2 UN proper shipping name

ADR, IMDG, IATA

Void

(Contd. on page 11)

GB

Safety data sheet
complying with Regulation 1907/2006/EC (REACH
Regulation), EU 2020/878 and Regulation No 1272/2008/EC
(CLP)

Printing date 21.01.2021

Version number 1

Revision: 21.01.2021

Trade name: NOSOCID PAA - Mixed use solution

(Contd. of page 10)

14.3 Transport hazard class(es)

ADR, ADN, IMDG, IATA

Class Void

14.4 Packing group

ADR, IMDG, IATA Void

14.5 Environmental hazards: Not applicable.

14.6 Special precautions for user Not applicable.

14.7 Maritime transport in bulk according to
IMO instruments Not applicable.

UN "Model Regulation": Void

SECTION 15: Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

REACH Regulation 1907/2006/EC

Regulation (EU) 2020/878

CLP Regulation 1272/2008/EC

Directive 98/24/EC on the protection of health and safety of workers from the risks related to chemicals agents at work.

Council Directive 94/33/EC on the protection of young people at work, as ammended.

Directive 92/85/EEC on the introduction of measures to encourage improvements in the safety and health at work of pregnant workers and workers who have recently given birth or are breastfeeding, as ammended

Regulation (EC) No.648/2004 on detergents, as ammended.

Labelling according to Regulation (EC) No 1272/2008

The product is classified and labelled according to the CLP regulation.

Hazard pictograms



GHS07

Signal word Warning

Hazard statements

H319 Causes serious eye irritation.

Precautionary statements

P101 If medical advice is needed, have product container or label at hand.

P102 Keep out of reach of children.

P264 Wash thoroughly after handling.

P280 Wear eye protection / face protection

P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

P337+P313 If eye irritation persists: Get medical advice/attention.

(Contd. on page 12)

Safety data sheet
complying with Regulation 1907/2006/EC (REACH
Regulation), EU 2020/878 and Regulation No 1272/2008/EC
(CLP)

Printing date 21.01.2021

Version number 1

Revision: 21.01.2021

Trade name: NOSOCID PAA - Mixed use solution

(Contd. of page 11)

Directive 2012/18/EU

Named dangerous substances - ANNEX I

None of the ingredients is listed.

Substance is not listed.

REGULATION (EC) No 1907/2006 ANNEX XVII Conditions of restriction: 3

DIRECTIVE 2011/65/EU on the restriction of the use of certain hazardous substances in electrical and electronic equipment – Annex II

None of the ingredients is listed.

National regulations:

Other regulations, limitations and prohibitive regulations

Substances of very high concern (SVHC) according to REACH, Article 57

It doesn't contain substances of very high concern (SVHC).

15.2 Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

SECTION 16: Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

Relevant phrases

H225 Highly flammable liquid and vapour.

H226 Flammable liquid and vapour.

H242 Heating may cause a fire.

H271 May cause fire or explosion; strong oxidiser.

H302 Harmful if swallowed.

H312 Harmful in contact with skin.

H314 Causes severe skin burns and eye damage.

H319 Causes serious eye irritation.

H332 Harmful if inhaled.

H335 May cause respiratory irritation.

H336 May cause drowsiness or dizziness.

H400 Very toxic to aquatic life.

H410 Very toxic to aquatic life with long lasting effects.

H412 Harmful to aquatic life with long lasting effects.

Department issuing SDS:



SUSTCHEM S.A.

REACH & Chemical Services Department

A: 144, 3rd Septemvriou, GR 112 51 | Athens, Greece

T: +30 210 8252510 | F: +30 210 8252575

W: www.sustchem.gr | E: info@suschem.gr

Abbreviations and acronyms:

ADR: Accord relatif au transport international des marchandises dangereuses par route (European Agreement Concerning the International Carriage of Dangerous Goods by Road)

IMDG: International Maritime Code for Dangerous Goods

(Contd. on page 13)

Safety data sheet
complying with Regulation 1907/2006/EC (REACH
Regulation), EU 2020/878 and Regulation No 1272/2008/EC
(CLP)

Printing date 21.01.2021

Version number 1

Revision: 21.01.2021

Trade name: NOSOCID PAA - Mixed use solution

(Contd. of page 12)

IATA: International Air Transport Association
GHS: Globally Harmonised System of Classification and Labelling of Chemicals
EINECS: European Inventory of Existing Commercial Chemical Substances
ELINCS: European List of Notified Chemical Substances
CAS: Chemical Abstracts Service (division of the American Chemical Society)
DNEL: Derived No-Effect Level (REACH)
PNEC: Predicted No-Effect Concentration (REACH)
LC50: Lethal concentration, 50 percent
LD50: Lethal dose, 50 percent
PBT: Persistent, Bioaccumulative and Toxic
SVHC: Substances of Very High Concern
vPvB: very Persistent and very Bioaccumulative
Flam. Liq. 2: Flammable liquids – Category 2
Flam. Liq. 3: Flammable liquids – Category 3
Ox. Liq. 1: Oxidizing liquids – Category 1
Org. Perox. D: Organic peroxides – Type C/D
Acute Tox. 4: Acute toxicity – Category 4
Skin Corr. 1A: Skin corrosion/irritation – Category 1A
Eye Irrit. 2: Serious eye damage/eye irritation – Category 2
STOT SE 3: Specific target organ toxicity (single exposure) – Category 3
Aquatic Acute 1: Hazardous to the aquatic environment - acute aquatic hazard – Category 1
Aquatic Chronic 1: Hazardous to the aquatic environment - long-term aquatic hazard – Category 1
Aquatic Chronic 3: Hazardous to the aquatic environment - long-term aquatic hazard – Category 3

GB

SAFETY DATA SHEET
complying with Regulation 1907/2006/EC (REACH
Regulation), EU 2020/878 and Regulation No 1272/2008/EC
(CLP)

Printing date 21.01.2021

Version number 1

Revision: 21.01.2021

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1 Product identifier

Trade name: **NOSOCID PAA - Mixed use solution**

1.2 Relevant identified uses of the substance or mixture and uses advised against

No further relevant information available.

Application of the substance / the mixture:

High level instrument disinfectant Product Ready to use for medical devices.

1.3 Details of the supplier of the safety data sheet

Manufacturer/Supplier:

MEDALKAN

Michalakopoulou 102, P.C. 11528, Athens, Greece

Tel.. 2107484847, Fax. 210 7772009

e-mail: contact@medalkan.gr

website: www.medalkan.com

1.4 Emergency telephone number:



European Emergency Tel.: 112

SECTION 2: Hazards identification

2.1 Classification of the substance or mixture

Classification according to Regulation EC No 1272/2008 CLP:



GHS07

Eye Irrit. 2 H319 Causes serious eye irritation.

2.2 Label elements

Labelling according to Regulation EC No 1272/2008 CLP:

The product is classified and labelled according to the CLP regulation.

Hazard pictograms:



GHS07

Signal word: Warning

Hazard statements:

H319 Causes serious eye irritation.

Precautionary statements

P101 If medical advice is needed, have product container or label at hand.

(Contd. on page 2)

GHS

SAFETY DATA SHEET
complying with Regulation 1907/2006/EC (REACH
Regulation), EU 2020/878 and Regulation No 1272/2008/EC
(CLP)

Printing date 21.01.2021

Version number 1

Revision: 21.01.2021

Trade name: NOSOCID PAA - Mixed use solution

(Contd. of page 1)

P102 Keep out of reach of children.
P264 Wash thoroughly after handling.
P280 Wear eye protection / face protection
P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
P337+P313 If eye irritation persists: Get medical advice/attention.

Regulation (EC) No 648/2004 on detergents / Labelling for contents

oxygen-based bleaching agents	<5%
-------------------------------	-----

2.3 Other hazards

Results of PBT and vPvB assessment

PBT: Not applicable.










vPvB: Not applicable.

SECTION 3: Composition/information on ingredients

3.2 Mixtures

Description: Mixture: consisting of the following components.

Ingredients according Regulation (EU) 2020/878:

CAS: 7722-84-1 EINECS: 231-765-0 Index number: 008-003-00-9 Reg.nr.: 01-2119485845-22-XX XX	hydrogen peroxide solution  Ox. Liq. 1, H271;  Skin Corr. 1A, H314;  Acute Tox. 4, H302; Acute Tox. 4, H332; STOT SE 3, H335; Aquatic Chronic 3, H412 Specific concentration limits: Ox. Liq. 1; H271: C ≥ 70 % Ox. Liq. 2; H272: 50 % ≤ C < 70 % Skin Corr. 1A; H314: C ≥ 70 % Skin Corr. 1B; H314: 50 % ≤ C < 70 % Skin Irrit. 2; H315: 35 % ≤ C < 50 % Eye Dam. 1; H318: C ≥ 8 % Eye Irrit. 2; H319: 5 % ≤ C < 8 % STOT SE 3; C ≥ 35 %	≥2.5-<5%
CAS: 67-63-0 EINECS: 200-661-7 Index number: 603-117-00-0 Reg.nr.: 01-2119457558-25- XXXX	propan-2-ol  Flam. Liq. 2, H225;  Eye Irrit. 2, H319; STOT SE 3, H336	≥2.5-5%
CAS: 79-21-0 EINECS: 201-186-8 Index number: 607-094-00-8 Reg.nr.: 01-2119531330-56- XXXX	peracetic acid  Flam. Liq. 3, H226; Org. Perox. D, H242;  Skin Corr. 1A, H314;  Aquatic Acute 1, H400; Aquatic Chronic 1, H410;  Acute Tox. 4, H302; Acute Tox. 4, H312; Acute Tox. 4, H332; STOT SE 3, H335 Specific concentration limit: STOT SE 3; H335: C ≥ 1 %	≥0.025-<0.25%

SAFETY DATA SHEET
complying with Regulation 1907/2006/EC (REACH
Regulation), EU 2020/878 and Regulation No 1272/2008/EC
(CLP)

Printing date 21.01.2021

Version number 1

Revision: 21.01.2021

Trade name: NOSOCID PAA - Mixed use solution

(Contd. of page 2)

SECTION 4: First aid measures

4.1 Description of first aid measures

General information:

Immediately remove any clothing soiled by the product.

Take affected persons out into the fresh air.

Involve doctor immediately.

After inhalation:

Supply fresh air and to be sure call for a doctor.

In case of unconsciousness place patient stably in side position for transportation.

Seek medical treatment in case of complaints.

After skin contact:

Immediately wash with water and soap and rinse thoroughly.

If skin irritation continues, consult a doctor.

Remove contaminated clothing.

Wash contaminated clothing before use.

After eye contact:

Immediately flush eyes with plenty of water, occasionally lifting the upper and lower eyelids.

Check for and remove any contact lenses.

Continue to rinse for at least 10 minutes.

Get medical attention if irritation occurs.

After swallowing:

Drink plenty of water and provide fresh air. Call for a doctor immediately.

Seek immediate medical advice.

4.2 Most important symptoms and effects, both acute and delayed

No further relevant information available.

4.3 Indication of any immediate medical attention and special treatment needed

No further relevant information available.

SECTION 5: Firefighting measures

5.1 Extinguishing media

Suitable extinguishing agents: CO₂, powder or water spray. Fight larger fires with water spray.

For safety reasons unsuitable extinguishing agents: Water with full jet

5.2 Special hazards arising from the substance or mixture

No further relevant information available.

5.3 Advice for firefighters

Protective equipment:

Self contained breathing apparatus and full protective clothing must be worn in case of fire.

Additional information

Collect contaminated fire fighting water separately. It must not enter the sewage system.

SECTION 6: Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures:

Wear protective equipment. Keep unprotected persons away.

Keep away from ignition sources.

(Contd. on page 4)

GHS

SAFETY DATA SHEET
complying with Regulation 1907/2006/EC (REACH
Regulation), EU 2020/878 and Regulation No 1272/2008/EC
(CLP)

Printing date 21.01.2021

Version number 1

Revision: 21.01.2021

Trade name: NOSOCID PAA - Mixed use solution

(Contd. of page 3)

Ensure adequate ventilation.

Avoid contact with spilled material.

Goggles and/ or face shield, if contact with eyes or splashes are anticipated.

Avoid contact with skin and eyes.

6.1.1 For non-emergency personnel

Ensure sufficient ventilation.

Use personal protective equipment.

Avoid contact with skin and eyes.

6.1.2 For emergency responders

Ventilate area of leak or spill.

Use safety goggles, in case of contact with the eyes.

Use chemicals resistant gloves.

6.2 Environmental precautions: Do not allow to enter sewers/ surface or ground water.

6.3 Methods and material for containment and cleaning up:

Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust, silica gel).

Use neutralising agent.

Dispose contaminated material as waste according to item 13.

Ensure adequate ventilation.

Do not flush with water or aqueous cleansing agents

Send for recovery or disposal in suitable receptacles.

6.4 Reference to other sections:

See Section 7 for information on safe handling.

See Section 8 for information on personal protection equipment.

See Section 13 for disposal information.

SECTION 7: Handling and storage

7.1 Precautions for safe handling

Open and handle receptacle with care.

Keep receptacles tightly sealed.

Prevent formation of aerosols.

Avoid contact with skin, eyes and clothing.

Do not breathe dust. Do not ingest.

Information about fire - and explosion protection:

Protect against electrostatic charges.

Keep it in a dry, cool, well ventilated, fixed in advance place, away from sources of heat, flames, ignition and direct sunlight.

7.2 Conditions for safe storage, including any incompatibilities

Storage:

Requirements to be met by storerooms and receptacles:

Keep in the original container. Store in a cool, dry and well-ventilated place.

Provide ventilation for receptacles.

Information about storage in one common storage facility: Store away from oxidising materials.

Further information about storage conditions:

Keep container tightly sealed.

Keep containers to upright position to prevent leakage.

Protect from direct sunlight.

(Contd. on page 5)

SAFETY DATA SHEET
complying with Regulation 1907/2006/EC (REACH
Regulation), EU 2020/878 and Regulation No 1272/2008/EC
(CLP)

Printing date 21.01.2021

Version number 1

Revision: 21.01.2021

Trade name: NOSOCID PAA - Mixed use solution

(Contd. of page 4)

Keep away from children

7.3 Specific end use(s) No further relevant information available.

SECTION 8: Exposure controls/personal protection

8.1 Control parameters

Ingredients with limit values that require monitoring at the workplace:

CAS: 7722-84-1 hydrogen peroxide solution

WEL (Great Britain)	Short-term value: 2.8 mg/m ³ , 2 ppm
	Long-term value: 1.4 mg/m ³ , 1 ppm

CAS: 67-63-0 propan-2-ol

WEL (Great Britain)	Short-term value: 1250 mg/m ³ , 500 ppm
	Long-term value: 999 mg/m ³ , 400 ppm

DNELs

(CAS: 7722-84-1) hydrogen peroxide solution

Workers, Inhalation, Acute-local effects, 3 mg/m³

Workers, Inhalation, Long-term local effects, 1.4 mg/m³

Consumers, Inhalation, Acute-local effects, 1.93 mg/m³

Consumers Inhalation, Long-term local effects 0.21 mg/m³

(CAS: 67-63-0) propan-2-ol

Workers

Route of exposure: Dermal

Long-term systemic effects

- DNEL: 888 mg/kg bw/day

Route of exposure: Inhalation

Long-term systemic effects

- DNEL: 500 mg substance/m³

Consumers

Route of exposure: Oral

Long-term systemic effects

- DNEL: 26 mg/kg bw/day

Route of exposure: Dermal

Long-term systemic effects

- DNEL: 319 mg/kg bw/day

Route of exposure: Inhalation

Long-term systemic effects

- DNEL: 89 mg substance/m³

(CAS: 79-21-0) Peracetic acid

Workers:

Inhalation - systemic & local chronic / acute effects: 0,6 mg/m³

Dermal - local acute effects: 0,12 %

Consumers:

(Contd. on page 6)

SAFETY DATA SHEET
complying with Regulation 1907/2006/EC (REACH
Regulation), EU 2020/878 and Regulation No 1272/2008/EC
(CLP)

Printing date 21.01.2021

Version number 1

Revision: 21.01.2021

Trade name: NOSOCID PAA - Mixed use solution

(Contd. of page 5)

Inhalation - systemic & local chronic / acute effects: 0,6 mg/m³

Dermal - local acute effects: 0,12 %

PNECs

(CAS: 67-63-0) propan-2-ol

Freshwater: 140.9 mg/l

Marine water: 140.9 mg/l

Intermittent releases (water): 140.9 mg/l

Freshwater sediment: 552 mg/kg

Marine water sediment: 552 mg/kg

Soil: 28 mg/kg

Secondary poisoning: 160 mg/kg

STP: 2.251 mg/l

(CAS: 7722-84-1) hydrogen peroxide solution

Fresh water 0.0126 mg / l

Marine water 0.0126 mg / l

Intermittent use / release 0.0138 mg / l

Freshwater sediment 0.047 mg / kg

Marine sediment 0.047 mg / kg

Soil 0.0023 mg / kg

Sewage treatment plant 4.66 mg / l

(CAS: 79-21-0) Peracetic acid

Fresh water: 0.000224 mg/l

Sewage treatment plant: 0.051 mg/l

Freshwater sediment: 0.00018 mg/kg

Soil: 0.320 mg/kg

Additional information: The lists valid during the making were used as basis.

8.2 Exposure controls

Individual protection measures, such as personal protective equipment

General protective and hygienic measures:

Keep away from foodstuffs, beverages and feed.

Immediately remove all soiled and contaminated clothing.

Wash hands before breaks and at the end of work.

Do not eat, drink or smoke while using the product.

Avoid contact with the eyes and skin.

Respiratory protection:



Use suitable respiratory protective device in case of insufficient ventilation.

Hand protection



Protective gloves resistant to chemicals (standard EN 374-1)

(Contd. on page 7)

GHS

SAFETY DATA SHEET
complying with Regulation 1907/2006/EC (REACH
Regulation), EU 2020/878 and Regulation No 1272/2008/EC
(CLP)

Printing date 21.01.2021

Version number 1

Revision: 21.01.2021

Trade name: NOSOCID PAA - Mixed use solution

(Contd. of page 6)

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation.

Due to missing tests no recommendation to the glove material can be given for the product/ the preparation/ the chemical mixture.

Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation

Material of gloves

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a mixture of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.

Penetration time of glove material

The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.

The determined penetration times according to EN 16523-1:2015 are not performed under practical conditions. Therefore a maximum wearing time, which corresponds to 50% of the penetration time, is recommended.

Eye/face protection



Tightly sealed goggles (EN 166).

Body protection:



Protective work clothing

SECTION 9: Physical and chemical properties

9.1 Information on basic physical and chemical properties

General Information

Physical state

Liquid

Colour:

Transparent

Odour:

Characteristic

Odour threshold:

Not determined

Melting point/freezing point:

Not determined

Boiling point or initial boiling point and boiling range

Not determined

Flammability

Not applicable

Lower and upper explosion limit

Lower:

Not determined

Upper:

Not determined

Flash point:

Not Flammable

Auto-ignition temperature:

Product is not selfigniting.

Decomposition temperature:

Not determined

pH at 20 °C

5-7

(Contd. on page 8)

GHS

SAFETY DATA SHEET
complying with Regulation 1907/2006/EC (REACH
Regulation), EU 2020/878 and Regulation No 1272/2008/EC
(CLP)

Printing date 21.01.2021

Version number 1

Revision: 21.01.2021

Trade name: NOSOCID PAA - Mixed use solution

(Contd. of page 7)

Viscosity:

Kinematic viscosity Not determined

Kinematic viscosity

Dynamic: Not determined

Solubility

water: Fully miscible

Partition coefficient n-octanol/water (log value) Not determined

Vapour pressure: Not determined

Density and/or relative density

Density: Not determined

Relative density Not determined

Vapour density Not determined

9.2 Other information

Appearance:

Form: Liquid

Important information on protection of health and environment, and on safety.

Auto-ignition temperature: Not determined

Explosive properties: Product does not present an explosion hazard.

Cloud point / clarification point:

Oxidising properties Not oxidising

Evaporation rate Not determined

Information with regard to physical hazard classes

Explosives Void

Flammable gases Void

Aerosols Void

Oxidising gases Void

Gases under pressure Void

Flammable liquids Void

Flammable solids Void

Self-reactive substances and mixtures Void

Pyrophoric liquids Void

Pyrophoric solids Void

Self-heating substances and mixtures Void

Substances and mixtures, which emit flammable gases in contact with water Void

Oxidising liquids Void

Oxidising solids Void

Organic peroxides Void

Corrosive to metals Void

Desensitised explosives Void

GHS

(Contd. on page 9)

SAFETY DATA SHEET
complying with Regulation 1907/2006/EC (REACH
Regulation), EU 2020/878 and Regulation No 1272/2008/EC
(CLP)

Printing date 21.01.2021

Version number 1

Revision: 21.01.2021

Trade name: NOSOCID PAA - Mixed use solution

(Contd. of page 8)

SECTION 10: Stability and reactivity

10.1 Reactivity No further relevant information available.

10.2 Chemical stability

Thermal decomposition / conditions to be avoided Stable at environment temperature.

10.3 Possibility of hazardous reactions No dangerous reactions known.

10.4 Conditions to avoid Avoid exposure to heat.

10.5 Incompatible materials Oxidizing agents

10.6 Hazardous decomposition products No dangerous decomposition products known.

SECTION 11: Toxicological information

11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008

Acute toxicity Based on available data, the classification criteria are not met.

LD/LC50 values relevant for classification:

ATE (Acute Toxicity Estimates)

Oral	LD50	13,426 mg/kg
Inhalative	LC50/4 h (vapour)	295 mg/l

CAS: 7722-84-1 hydrogen peroxide solution

Dermal	LD50	6,440 mg/kg (rabbit)
--------	------	----------------------

CAS: 67-63-0 propan-2-ol

Oral	LD50	5,045 mg/kg (rat)
Dermal	LD50	12,800 mg/kg (rabbit)
Inhalative	LC50/4 h (vapour)	30 mg/l (rat)

CAS: 79-21-0 peracetic acid

Dermal	LD50	1,410 mg/kg (rabbit)
--------	------	----------------------

Skin corrosion/irritation Based on available data, the classification criteria are not met.

Serious eye damage/irritation Causes serious eye irritation.

Respiratory or skin sensitisation Based on available data, the classification criteria are not met.

Germ cell mutagenicity Based on available data, the classification criteria are not met.

Carcinogenicity Based on available data, the classification criteria are not met.

Reproductive toxicity Based on available data, the classification criteria are not met.

STOT-single exposure Based on available data, the classification criteria are not met.

STOT-repeated exposure Based on available data, the classification criteria are not met.

Aspiration hazard Based on available data, the classification criteria are not met.

Additional toxicological information:

Repeated dose toxicity Based on available data, the classification criteria are not met.

11.2 Information on other hazards

Endocrine disrupting properties

None of the ingredients is listed.

GHS

(Contd. on page 10)

SAFETY DATA SHEET
complying with Regulation 1907/2006/EC (REACH
Regulation), EU 2020/878 and Regulation No 1272/2008/EC
(CLP)

Printing date 21.01.2021

Version number 1

Revision: 21.01.2021

Trade name: NOSOCID PAA - Mixed use solution

(Contd. of page 9)

SECTION 12: Ecological information

12.1 Toxicity

Aquatic toxicity:

CAS: 79-21-0 peracetic acid

EC50 (72h) 0.16 mg/l (Pseudokirchneriella subcapitata)

EC50 (48h) 0.73 mg/l (Daphnia magna)

LC50 (96h) 1.1 mg/l (Lepomis macrochirus (Bluegill))

12.2 Persistence and degradability Biodegradable.

12.3 Bioaccumulative potential

No bioaccumulation potential.

(CAS: 67-63-0) Isopropyl alcohol

Partition coefficient n-octanol/water: 0.05

12.4 Mobility in soil No further relevant information available.

12.5 Results of PBT and vPvB assessment

PBT: Not applicable.

vPvB: Not applicable.

12.6 Endocrine disrupting properties

The product does not contain substances with endocrine disrupting properties.

12.7 Other adverse effects No further relevant information available.

SECTION 13: Disposal considerations

13.1 Waste treatment methods

Recommendation



Dispose according to National Regulations.



Must not be disposed together with household garbage. Do not allow product to reach sewage system.

Contact manufacturer for recycling information.

Uncleaned packaging:

Recommendation:

Disposal must be made according to official regulations.

Packaging may be reused or recycled after cleaning.

SECTION 14: Transport information

14.1 UN number or ID number

ADR, IMDG, IATA

Void

14.2 UN proper shipping name

ADR, IMDG, IATA

Void

(Contd. on page 11)

GHS

SAFETY DATA SHEET
complying with Regulation 1907/2006/EC (REACH
Regulation), EU 2020/878 and Regulation No 1272/2008/EC
(CLP)

Printing date 21.01.2021

Version number 1

Revision: 21.01.2021

Trade name: NOSOCID PAA - Mixed use solution

(Contd. of page 10)

14.3 Transport hazard class(es)

ADR, ADN, IMDG, IATA

Class Void

14.4 Packing group

ADR, IMDG, IATA Void

14.5 Environmental hazards: Not applicable.

14.6 Special precautions for user Not applicable.

14.7 Maritime transport in bulk according to
IMO instruments Not applicable.

UN "Model Regulation": Void

SECTION 15: Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

REACH Regulation 1907/2006/EC

Regulation (EU) 2020/878

CLP Regulation 1272/2008/EC

Directive 98/24/EC on the protection of health and safety of workers from the risks related to chemicals agents at work.

Council Directive 94/33/EC on the protection of young people at work, as ammended.

Directive 92/85/EEC on the introduction of measures to encourage improvements in the safety and health at work of pregnant workers and workers who have recently given birth or are breastfeeding, as ammended

Regulation (EC) No.648/2004 on detergents, as ammended.

Labelling according to Regulation (EC) No 1272/2008

The product is classified and labelled according to the CLP regulation.

Hazard pictograms



GHS07

Signal word Warning

Hazard statements

H319 Causes serious eye irritation.

Precautionary statements

P101 If medical advice is needed, have product container or label at hand.

P102 Keep out of reach of children.

P264 Wash thoroughly after handling.

P280 Wear eye protection / face protection

P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

P337+P313 If eye irritation persists: Get medical advice/attention.

(Contd. on page 12)

GHS

SAFETY DATA SHEET
complying with Regulation 1907/2006/EC (REACH
Regulation), EU 2020/878 and Regulation No 1272/2008/EC
(CLP)

Printing date 21.01.2021

Version number 1

Revision: 21.01.2021

Trade name: NOSOCID PAA - Mixed use solution

(Contd. of page 11)

Directive 2012/18/EU

Named dangerous substances - ANNEX I

None of the ingredients is listed.

Substance is not listed.

REGULATION (EC) No 1907/2006 ANNEX XVII Conditions of restriction: 3

DIRECTIVE 2011/65/EU on the restriction of the use of certain hazardous substances in electrical and electronic equipment – Annex II

None of the ingredients is listed.

National regulations:

Other regulations, limitations and prohibitive regulations

Substances of very high concern (SVHC) according to REACH, Article 57

It doesn't contain substances of very high concern (SVHC).

15.2 Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

SECTION 16: Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

Relevant phrases

H225 Highly flammable liquid and vapour.

H226 Flammable liquid and vapour.

H242 Heating may cause a fire.

H271 May cause fire or explosion; strong oxidiser.

H302 Harmful if swallowed.

H312 Harmful in contact with skin.

H314 Causes severe skin burns and eye damage.

H319 Causes serious eye irritation.

H332 Harmful if inhaled.

H335 May cause respiratory irritation.

H336 May cause drowsiness or dizziness.

H400 Very toxic to aquatic life.

H410 Very toxic to aquatic life with long lasting effects.

H412 Harmful to aquatic life with long lasting effects.

Department issuing SDS:



SUSTCHEM S.A.

REACH & Chemical Services Department

A: 144, 3rd Septemvriou, GR 112 51 | Athens, Greece

T: +30 210 8252510 | F: +30 210 8252575

W: www.sustchem.gr | E: info@suschem.gr

Abbreviations and acronyms:

ADR: Accord relatif au transport international des marchandises dangereuses par route (European Agreement Concerning the International Carriage of Dangerous Goods by Road)

IMDG: International Maritime Code for Dangerous Goods

(Contd. on page 13)

GHS

SAFETY DATA SHEET
complying with Regulation 1907/2006/EC (REACH
Regulation), EU 2020/878 and Regulation No 1272/2008/EC
(CLP)

Printing date 21.01.2021

Version number 1

Revision: 21.01.2021

Trade name: NOSOCID PAA - Mixed use solution

(Contd. of page 12)

IATA: International Air Transport Association
GHS: Globally Harmonised System of Classification and Labelling of Chemicals
EINECS: European Inventory of Existing Commercial Chemical Substances
ELINCS: European List of Notified Chemical Substances
CAS: Chemical Abstracts Service (division of the American Chemical Society)
DNEL: Derived No-Effect Level (REACH)
PNEC: Predicted No-Effect Concentration (REACH)
LC50: Lethal concentration, 50 percent
LD50: Lethal dose, 50 percent
PBT: Persistent, Bioaccumulative and Toxic
SVHC: Substances of Very High Concern
vPvB: very Persistent and very Bioaccumulative
Flam. Liq. 2: Flammable liquids – Category 2
Flam. Liq. 3: Flammable liquids – Category 3
Ox. Liq. 1: Oxidizing liquids – Category 1
Org. Perox. D: Organic peroxides – Type C/D
Acute Tox. 4: Acute toxicity – Category 4
Skin Corr. 1A: Skin corrosion/irritation – Category 1A
Eye Irrit. 2: Serious eye damage/eye irritation – Category 2
STOT SE 3: Specific target organ toxicity (single exposure) – Category 3
Aquatic Acute 1: Hazardous to the aquatic environment - acute aquatic hazard – Category 1
Aquatic Chronic 1: Hazardous to the aquatic environment - long-term aquatic hazard – Category 1
Aquatic Chronic 3: Hazardous to the aquatic environment - long-term aquatic hazard – Category 3

GHS